



B 60 W Bp DOSE (roller)

Walk-behind scrubber drier (60 l) with traction drive. Ideal for 1,000-2,500 m². Configuration example with roller brushes with pre-sweep function, 65 cm working width and battery (180 Ah).



1 Choice of four batteries

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charge curve of the built-in charger is perfectly adapted to the different battery types.

2 Convenient Auto Fill function

- Time-saving filling of the fresh water tank.
- Filling via the fresh water hose stops automatically when the tank is full.

3 Energy-saving ecoefficiency mode

- For significantly reduced energy use and substantially longer battery runtime.
- The ecoefficiency mode is extra quiet and optimal for noise-sensitive areas (such as hospitals or hotels).

4 EASY Operation selector switch

- Simple operation.
- The basic functions are easily controlled using the EASY switch.



B 60 W Bp DOSE (roller)

Technical data

Order no.	1.384-020.2	
EAN code	4039784582545	
Supply voltage	V / Hz	100 - 240 / 50 - 60
Working width, vacuuming	mm	850
Max. area performance	m²/h	3900
Tank of fresh/dirty water	l	60 / 60
Brush contact pressure	g/cm²	265
Brush rotational speed	rpm	600 - 1300
Rated input power	W	max. 2100
Weight (with accessories)	kg	109
Dimensions (L x W x H)	mm	1520 × 748 × 1147
Battery voltage	V	24
Battery capacity	Ah	180
Battery runtime	h	max. 3

Equipment

Roller brush	■
Fact	-
Tin	■
Sweeping function	■
Tank-in-tank design	■
Motor	Battery

■ Included in the scope of supply.

B 60 W BP DOSE (ROLLER) 1.384-020.2

KÄRCHER



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	4	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
KIK key set, white	6	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	□
Add-on kit ecolzero	7	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO ₂ which is produced by using the machine, we support climate protection projects worldwide.	□
Home Base accessories								
Home Base adapter	8	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Double hook	9	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	10	6.980-078.0		grey	1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	11	6.980-080.0		grey	1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	12	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Universal hook kit	13	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Holder for squeegee	14	9.753-088.0			1 piece(s)		Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee.	□
Wheels / tyres								
Sports hall attachment kit	15	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm ² , in accordance with DIN 18032.	□
Wheel, oil resistant	16	6.435-702.0			1 piece(s)		Machine requires 2.	□
Dosing aids								
DS 3 Cleaning Agent Dosing Station	17	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	□

■ Included in the scope of supply. □ Available accessories.


B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Hardness grade	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	6.906-981.0	soft	638 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	<input type="checkbox"/>
	2	4.035-187.0	medium	638 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input type="checkbox"/>
	3	6.906-982.0		638 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	4	6.906-983.0	hard	638 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	5	6.906-984.0	very hard	638 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	6	6.906-977.0	soft	532 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	<input type="checkbox"/>
	7	4.035-193.0	medium	532 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input type="checkbox"/>
	8	6.906-978.0		532 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	9	6.906-979.0	hard	532 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	10	6.906-980.0	very hard	532 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	11	4.762-409.0	soft	550 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	<input type="checkbox"/>
	12	4.035-184.0	medium	550 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input type="checkbox"/>
	13	4.762-410.0		550 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	14	4.762-411.0	hard	550 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	15	4.762-412.0	very hard	550 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Hardness grade	Length	Diame-ter	Colour	Price	Description	
Pad roller shafts									
Pad roller shaft	1	4.762-433.0		638 mm				Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
	2	4.762-415.0		550 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
	3	4.762-432.0		532 mm				rollers.	<input type="checkbox"/>
Roller pads									
Roller pad on sleeve	4	6.369-732.0	soft	530 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	5	6.369-734.0	medium	530 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
	6	6.369-733.0	hard	530 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
Roller pad	7	6.369-454.0	soft		105 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	8	6.369-456.0	medium		105 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
	9	6.369-455.0	hard		105 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
	10	6.369-451.0	soft		96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	11	6.369-452.0	hard		96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
	12	6.369-453.0	medium		96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
Microfibre shaft									
Microfibre roller	13	4.114-006.0		638 mm	105 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	<input type="checkbox"/>
	14	4.114-010.0		550 mm	96 mm	light green			<input type="checkbox"/>
	15	4.114-005.0		532 mm	105 mm	light green			<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Hardness grade	Diameter	Colour	Quantity	Price	Description	
Pads									
Pad	1	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	2	4.642-025.0	hard	650 mm	brown	5 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Length	Colour	Quantity	Price	Description	
Squeegee blades								
Rubber lip set oil resistant BR-BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Squeegee blades	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	<input type="checkbox"/>
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>
Squeegee blades for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
Squeegees								
Squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.					Price	Description	
Brush heads									
Floor head S 65	1	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	2	4.036-063.0						Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Length	Diameter	Quantity	Price	Description	
Other attachment kits								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Attachment kit stacked bumper roller squeegee	3	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>
Spray extraction mounting kit								
Spray suction attachment kit	4	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
Batteries									
Battery kit	1	2.815-101.0	4 -part	24 V	180 Ah	maintenance-free		Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	2	2.815-100.0	2 -part	24 V	105 Ah	maintenance-free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	3	2.815-092.0	4 -part	24 V	170 Ah	maintenance-free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	4	2.815-091.0	2 -part	24 V	115 Ah	maintenance-free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
Accessories for batteries									
Battery mounting kit	5	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	<input type="checkbox"/>
	6	2.638-037.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 1 connection cable.	<input type="checkbox"/>
	7	2.638-064.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	<input type="checkbox"/>
	8	2.638-106.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 3 connection cables.	<input type="checkbox"/>
Spacer	9	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.

B 60 W BP DOSE (ROLLER) 1.384-020.2



		Order no.					Price	Description	
Storage									
Basket with bottle insert	1	6.999-290.0						Carrying basket with bottle insert, carrying handle and removable dividers.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.