

BR 47/35 ESC

Machine for basic and maintenance cleaning of escalators and travelators with a performance of 2-3 escalators/travelators per hour.



Order no.

1.310-109.0

- Cleans escalators and travelators while they are runningEquipped with standard wash brush and pick-up brush
- Reliable water pick up

Technical data		
EAN code		4039784470019
Working width	mm	470
Working width of brushes	mm	470
Working width, vacuuming	mm	470
Area performance	m²/h	75
Tank of fresh/dirty water	1	35 / 35
Fresh water container capacity	I.	35
Brush rotational speed	rpm	870 / 1090
Brush speed, sweeping	rpm	870
Brush speed, washing	rpm	1090
Motor rating of brush motor	W	1100
Suction motor	W	800
Sound pressure level	dB(A)	75
Water volume	l/h	60
Pressure	bar	4 / 7
Supply voltage	V / Hz	220 - 240 / 50 - 60
Drive type		Mains operation
Weight without accessories	kg	105
Weight (with accessories)	kg	90
Dimensions (L × W × H)	mm	1129 × 480 × 1031

Equipment		
Cleaning brushes		
Pick-up brushes		
Mains operation		•
Suction motor	W	800
Included in the scope of supply.		

BR 47/35 Esc, 1.310-109.0, 2022-11-02


Users must receive training on this device.

KARCHER



Excellent suction power

- The applied water is reliably sucked back into the machine by the two powerful suction turbines together with four straight suction hoses and matching combs.
- Prevents water from dripping into the escalator shaft.



Suitable for escalators

- Combs which enter the grooves in the escalator provide the necessary vacuum.
- Different combs are available to suit different types of escalators. This ensures that the moisture is effectively vacuumed from the escalator.



Excellent suction power

Prevents water from dripping into the escalator shaft.

KARCHER

ACCESSORIES FOR BR 47/35 ESC 1.310-109.0



		Order no.	Description	
ESCALATOR CLEANER ACCESSORIES				
Brushes				
Brushes standard	1	5.762-266.0	Machine requires 2. For moderate to heavy soiling.	
Brushes, intake brushes	2	5.762-268.0	Machine requires 2.	
Brushes, hard	3	5.762-267.0	Machine requires 2. For removing stubborn dirt on hard-wearing surfaces.	
Other				
Guid rail, standard	4	5.032-932.0	Guide rail, standard.	
Groove rake	5	6.369-507.0	Companies KONE + Schindler, for manual removal of stubborn dirt, such as small stones, etc.	
	6	6.369-508.0	Companies Thyssen + OTIS, for manual removal of stubborn dirt, such as small stones, etc.	
BR 47/35 ESC profile template	7	4.369-000.0	For Kärcher BR 47/35 ESC escalator cleaners: template for determining the correct inlet and trailin combs for the different escalator manufacturer profiles.	g 🗆
Inlet/outlet combs				
Inlet combs, grey	8	6.369-509.0	Companies KONE, O&K.	
Outlet combs, grey	9	6.369-519.0		
Inlet combs, black	10	6.369-510.0	OTIS, FUJITEL, MONTGOMERY.	
Outlet combs, black	11	6.369-520.0	Fa. OTIS, Thyssen-Krupp, FUJITEL, MONTGOMERY.	
Inlet combs, green	12	6.369-511.0	Schindler, Westinghouse, MITSUBISHI.	
Outlet combs, green	13	6.369-521.0		
Inlet combs, white	14	6.369-512.0	CNIM, DONG YANG, HITACHI, TOSHIBA.	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

KARCHER

ACCESSORIES FOR BR 47/35 ESC 1.310-109.0



		Order no.	Description	
ESCALATOR CLEANER ACCESSORIES				
Inlet/outlet combs				
Outlet combs, white	15	6.369-522.0	CNIM, DONG YANG, HITACHI, TOSHIBA.	
Inlet combs, blue	16	6.369-914.0	OTIS, models 622 and 913.	
Outlet combs, blue	17	6.369-915.0		
Inlet combs, yellow	18	6.371-272.0	Inlet combs for Thyssen-Krupp and Fujitec escalators.	
Outlet combs, yellow	19	6.371-273.0	Outlet combs for Thyssen-Krupp and Fujitec escalators.	
Inlet combs, orange	20	6.371-321.0	Fa. Thyssen-Krupp, model FT 983.	
Outlet combs, orange	21	6.371-322.0		
Hand pads		1		
Hand pads	22	6.369-513.0	KONE, green, for manual cleaning of vertical surfaces.	
	23	6.369-514.0	OTIS, for manual cleaning of vertical surfaces.	
	24	6.369-515.0	Schindler, for manual cleaning of vertical surfaces.	
	25	6.369-516.0	Thyssen, for manual cleaning of vertical surfaces.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
Extension cable	26	6.647-022.0	Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	
Dosing aids				
DS 3 Cleaning Agent Dosing Station	27	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
SPRAY UNITS				
Pump spray bottle	28	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising.	3 🗆

■ Included in the scope of supply. □ Available accessories.