

KM 150/500 R D

Diesel-powered, fully hydraulic industrial sweeper with three-wheel rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors.







Order no.

1.186-124.0

- High working and transport speed
- Traction drive and sweeping system fully hydraulic
- Low-maintenance

Technical data		
EAN code		4039784521902
Drive type		Diesel
Traction drive		Four-stroke engine
Motor manufacturer		Yanmar
Drive- performance	kW	18.6
Max. area performance	m²/h	18000
Working width	mm	1200
Working width with 1 side brush	mm	1500
Working width with two side brushes	mm	1800
Waste container	1	500
Climbing ability	%	18
Working speed	km/h	12
Filter areas	m²	7
Weight (with accessories)	kg	1440
Weight, ready to uset	kg	1440
Dimensions (L × W × H)	mm	2442 × 1570 × 1640

Eaui Filter cleaning manual Main sweeper roller adjustable Power steering Suction volume regulation Dustpan principle Forwards traction drive Backwards traction drive Suction Hydr. high dump Outdoor use Elapsed time counter Sweeping function, can be switched off Wheels, pneumatic Side brush, automatically swings out

Users must receive training on this device.





Efficient filter system

- Flat pleated filter with 7 m² filter area.
- Effective cleaning with dual scraper.
- For dust-free sweeping.



Comfortable workspace

- All control elements are clearly arranged and within easy reach.
- All displays within view.
- Optional: cabs with heating or air-conditioning.



Simple operation, maintenance and servicing

- Very simple technology with tried-and-tested components: fully hydraulic drive, electric rather than electronic.
- Easy access to the motor compartment for quick and easy servicing.
- Main sweeper roller and flat pleated filter can be changed without tools.

ACCESSORIES FOR KM 150/500 R D

1.186-124.0







14-15









		Outerra	Berniteten	
FILTERS		Order no.	Description	
Flat pleated filter				
Flat pleated filter, green	1	6.988-159.0	Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning	g. 🔳
Flat pleated filter, white	2	6.987-177.0	Plastic filter for standard applications.	
MAIN SWEEPER ROLLER				
Standard roller brush				
Standard roller brush	3	6.987-085.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	
Main sweeper roller, soft				
Main sweeper roller, soft	4	6.987-464.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	
Main sweeper roller, soft/natural	5	6.987-437.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	
Main sweeper roller, hard		1		
Main sweeper roller, hard	6	6.987-436.0	For removing stubborn dirt outdoors.	
SIDE BRUSHES				
Standard side brushes				
Side brush, standard	7	6.987-083.0	Water-resistant universal bristles, durable, suitable for all surfaces.	
Side brush, hard				
Side brush, hard	8	6.905-773.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	
Side brush, steel bristles	9	6.905-619.0	For stripping, removing moss, abrasive, for outdoor use only	
Side brush, soft				
Side brush, soft	10	6.905-620.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	
MOUNTING KITS FOR SWEEPERS AND VA		PERS		
Lighting				
StVZO lighting	11	2.851-280.7	Attachment kit consisting of flashing beacon, light, indicator, horn, brake light and hazard light, certified and approved according to the German Road Traffic Licensing Ordinance.	
TÜV approved	12	2.851-285.7	Assessment for approval for use on public roads in Germany.	
Working lights	13	2.851-279.0	Working lights for additional illumination of large areas such as underground car parks or warehouses.	
Sweeping/Vacuuming			•	
Third side brush	14	2.851-277.7	For variable sweeping width - ideal for sweeping on different levels or around obstacles.	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories. O Detergents.

ACCESSORIES FOR KM 150/500 R D

1.186-124.0













		1							
		Order no.	Description						
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS									
Sweeping/Vacuuming									
Third side brush attachment kit	15	2.851-277.7	Flexible for larger sweeping width - ideal for sweeping on different levels or around obstacles.						
Add-on kit vacuum cleaner KM 150-170 R	16	2.852-884.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	. 🗆					
Side brush cover	17	2.851-287.0	Side brush cover reduces dust dispersion.						
Add-on kit covering cap side broom KM 15	18	2.851-287.7							
Other mounting kits	_		•						
Comfort seat	19	6.373-014.0	For increased driving comfort.						
Add-on kit ram protection KM 150/500 R	20	2.852-621.0							
Add-on kit wet sweep KM 150/500	21	2.852-821.0							
Stainless steel waste container	22	6.961-927.7	Stainless steel waste container for waste and areas of application with increased risk of corrosion.						
Side brushes, left	1		•						
Second left side brush attachment kit	23	2.851-274.0	Side brush, complete, including standard side brush for increasing area performance.						
CABS AND PROTECTIVE ROOFS									
Driver's protective cabin									
Comfort cabin with heating and air conditioning	24	2.851-266.7	The robust steel construction reliably protects the driver. Fully glazed with hinged rear window and left side window.	d 🗆					
Comfort cabin with heating	25	2.851-265.7							
Comfort cabin	26	2.851-264.7							
Protective cabin with windscreen and windscreen wiper	27	2.851-270.7	The roof with windscreen and windscreen wiper protects the driver from falling objects.						
Protective cabin	28	2.851-268.7	The protective roof complies with VDE standard IEC 60335-2-72.						

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR KM 150/500 R D 1.186-124.0



		Order no.	Description	
CABS AND PROTECTIVE ROOFS				
Protective roof				
Protection shield sweeper 150 - 170 R	29	2.852-688.0		
TYRES, PUNCTURE-PROOF				
Puncture-proof tyres (set), full rubber	30	4.515-329.0	Puncture-proof and recommended for sweeping metal shavings, glass shards, etc.	
Wheel solid rubber non-chalking	31	6.435-176.0	Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	
WATER SPRAYING SYSTEM				
Water spraying system for side brushes	32	2.851-282.0	For binding dust. Consisting of stainless steel water tank (60 l) and spray water nozzles on the side brushes.	: 🗆

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.