

## T 12/1

Versatile, robust and non-tilting dry vacuum cleaner T 12/1 with superb suction power, low operating noise, telescopic suction tube and other comprehensive equipment.



### Order no.

1.355-134.0

- Telescopic suction tube
- Foldable cable hook
- Operation using foot switch

### Technical data

<b>EAN code</b>		4039784825864
<b>Supply voltage</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Vacuum</b>	<b>mbar / kPa</b>	220 / 22
<b>Air flow</b>	<b>l/s</b>	43
<b>Rated performance</b>	<b>W</b>	700
<b>Container content</b>	<b>l</b>	12
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	12
<b>Sound pressure level</b>	<b>dB(A)</b>	60
<b>Motor rating of brush motor</b>	<b>W</b>	1300
<b>Weight without accessories</b>	<b>kg</b>	6.4
<b>Weight incl. packaging</b>	<b>kg</b>	9.6
<b>Dimensions (L × W × H)</b>	<b>mm</b>	410 × 315 × 340

### Equipment

<b>Suction hose</b>	<b>m</b>	2 / with bend
<b>Suction tube</b>	<b>piece(s) × m</b>	2 × 0.5 / Metal
<b>Motor protection filters</b>	<b>piece(s)</b>	1
<b>Filter bag</b>	<b>piece(s)</b>	1 / Fleece
<b>Combi floor nozzle</b>	■	
<b>Container material</b>		Plastic
<b>Clip system for extending hose</b>	■	
<b>Permanent filter basket</b>		Nylon

■ included in the scope of supply.



## Highly effective HEPA-13 filter

- The optional HEPA filter ensures particle-free, hygienically clean outgoing air.
- High filtration and separation degree of 99.95% withholds tiny particles.
- Certified in accordance with test standard DIN EN 1822:2019.



## Main filter basket

- Large, washable permanent main filter for optimal dust separation.
- Machine operation is possible both with and without filter bag.



## Great ergonomics

- Simple and back-friendly activation and deactivation using foot switch.
- Height-adjustable telescopic suction tube for areas that are difficult to access.
- Delta-shaped, ergonomic bend for long work activities.

## ACCESSORIES FOR T 12/1

### 1.355-134.0



	Order no.	Description	
<b>BENDS</b>			
<b>Bend, plastic</b>			
Bend	1 2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	■
<b>SUCTION NOZZLES</b>			
<b>Combi-nozzles, dry</b>			
Combi-nozzle, DN 35, 280 mm	2 2.889-129.0	Plastic floor nozzle, ID 35 and switchable.	■
<b>Crevice nozzles</b>			
Crevice nozzle	3 2.889-130.0	Plastic crevice nozzle.	□
<b>Upholstery nozzles</b>			
Upholstery nozzle DN 35	4 6.905-998.0	Plastic upholstery nozzle in DN 35.	□
<b>SUCTION TUBES</b>			
<b>Suction tubes, metal</b>			
Telescopic suction tube	5 2.862-008.0	Telescopic suction tube, metal, chrome-plated, ID 35. Length from 0.61 to 1.0 m.	■
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>			
Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener	6 2.889-161.0	The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher.	■
<b>NOZZLE KITS</b>			
DN 35 nozzle kit: Crevice nozzle, upholstery nozzle, round brush	7 2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and round brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.	□
<b>OTHER ACCESSORIES NT</b>			
Adapter clip new on clip old DN 35	8 2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	□
<b>FURTHER ACCESSORIES DRY VACUUM CLEANERS</b>			
Repair set Kaercher NW35	9 2.639-329.0	Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal.	□
<b>FILTER T/ NT</b>			
<b>Exhaust air filter</b>			
Standard exhaust air filter, 3 × , BV 5/1, BV 5/1 Bp, T 12, T 15, T 17	10 6.414-802.0	Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	□
Motor protection filter, 3 × , BV 5/1, T 7, T 8, T 9, T 10, T 12, T 15	11 2.889-119.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	□
Filter foam, 3 × , BV 5/1, T 7, T 10, T 12, T 15	12 4.414-015.0	Efficient exhaust filter made from PES fleece material (filter foam) in size 128 × 97 mm. Package content: Pack of 3.	□
<b>Fleece filter bags</b>			
Fleece filter bags, 10 × , T 10, T 12, Trek Vac 2, Trek Vac 3	13 6.904-315.0	Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	□

■ Included in the scope of supply. □ Available accessories.